

Present and future (NCODA) assimilation in the near real-time Atlantic system

*O. M. Smedstad
Planning Systems Inc.*

*J. A. Cummings, H. E. Hurlburt and A. J. Wallcraft
Naval Research Laboratory*

*W. C. Thacker, H. Kang
NOAA*

*E. P. Chassignet
University of Miami*

<http://hycom.rsmas.miami.edu>


*HYCOM NOPP GODAE Meeting
27-29 October 2004
RSMAS, Miami, FL*

Present system


- **Running in near real-time**
 - . Assimilates the satellite altimeter analysis from the MODAS operational system at the Naval Oceanography Office (NAVOCEANO)
 - . Mean SSH from the 1/12° MICOM (ECMWF)
 - . Vertical projection via the Cooper and Haines technique (1996, JGR)
 - . FNMOC/NOGAPS atmospheric forcing
 - . Relaxation to the MODAS SST analysis
- **Automated scripts run the system from the preprocessing of the forcing fields to the post processing of the results**
- **Participating in the MERSEA model inter-comparison**

1/12° ATLANTIC HYCOM SSH

20 October, 2004



Near real-time system



Analysis wind and thermal forcing

Assimilation of MODAS

SSH anomaly analysis

Relaxation to MODAS

SST

Forecast wind and thermal forcing


Revert toward

climatological wind and thermal forcing,

Relaxation to climatologically corrected SST



<http://hycom.rsmas.miami.edu>

1/12° Atlantic HYCOM SSH in Gulf Stream region



White/black line is the frontal analysis of MCSST observations performed at NAVOCEANO. Black line represents data more than four days old.


1/12° Atlantic HYCOM SSH in Gulf of Mexico region



White/black line is the frontal analysis of MCSST observations performed at NAVOCEANO. Black line represents data more than four days old.


Transport sections

1/12° HYCOM SSH nowcast 20041020





Florida Current transport at 27°N

HYCOM ATLd0.08–9.1–nowcast: STACS (80.08W–78.72W, 26.95N–26.95N)
Layer 1–26 Mean: 31.60 Min: 22.73 Max: 36.93 Std: 2.31 Corr: 0.60





ARGO profiles

<http://www.argo.ucsd.edu/>




Argo Network, as of March 2004 (1121 Floats)	
AUSTRALIA (19)	FRANCE (55)
CANADA (70)	GERMANY (43)
CHINA (13)	INDIA (20)
DENMARK (0)	IRELAND(2)
EUROPEAN UNION (52)	JAPAN (208)
	KOREA (Rep. of) (42)
	MAURITIUS (1)
	NEW ZEALAND (3)
	NORWAY (9)
	RUSSIAN FEDERATION (3)
	SPAIN (7)
	UNITED KINGDOM (59)
	UNITED STATES (515)


ARGO profiles



<http://www.argo.ucsd.edu/>



NRL Coupled Ocean Data Assimilation (NCODA)




MVOI - simultaneous analysis 5 ocean variables
temperature, salinity, geopotential, velocity (u, v)

GULF OF MEXICO MODEL CONFIGURATION

- Horizontal grid: $1/12^\circ$ (258×175 grid points, 6.5 km spacing on average)
- 18°N to 31°N
- 20 vertical coordinates
- Bathymetry: 5m coastline
- Surface forcing from FNMOC/NOGAPS
- Monthly river runoff
- Nested Boundary:
relaxation to the $1/12^\circ$ Atlantic HYCOM T and S, U and V along open boundary, (free running in these experiments)

1/12° GOM HYCOM MEAN SSH

September 1999 - June 2000




Update HYCOM restart file

- NCODA 3D MVOI analysis on z-grid
 - total field and increments from the first guess (model forecast)
- Use total field and convert from z-space to HYCOM space when updating the restart file, (expt_08.3)
- Use the increments to update T, S (and ρ) in the restart file. Let hybgen move the interfaces, (expt_08.4)
- A new analysis once a week in these experiments

NCODA observations, 17 May 2000

Satellite SST


Satellite SST 17 May 00 00Z 9 km grid



GAC Day GAC Night GAC Rlx Day GOES Day GOES Night LAC Day LAC Night

Satellite altimetry


SSH Observations 17 May 00 00Z 9 km grid



Topex ERS2 GFO Jason Envisat In situ Suppl

In situ SST


In Situ SST 17 May 00 00Z 9 km grid



Sfc Ship Fixed Buoy Drift Buoy Sea Ice SST Climate CMAN SST Analyzed SST





Profile "observations"

Profile Observations 17 May 00 00Z 9 km grid





XBT TESAC PALACE Float Fixed Buoy Drifting Buoy MODAS Syn MODAS Suppl DIRECT Syn



NCODA increments 17 May 2000




NCODA Temperature verification (08.3)




NCODA Temperature verification (08.4)




NCODA (08.3)




NCODA (08.4)
17 May 2000




Present assimilation




1/12° HYCOM SSH nowcast (8.3) 20000518



1/12° HYCOM SSH nowcast (8.4) 20000518









1/12° HYCOM SSH nowcast (9.1) 20000518



NCODA (08.3)

NCODA (08.4) 17 May 2000

Present assimilation



18 May 2000

Future

- New spin up of the Atlantic model
 - 5m coastline
 - σ_2^*
- Upgrade assimilation
 - NCODA