# TOPAZ

#### handling upgrades... with time

L. Bertino, K.A. Lisæter, N. Winther, F. Counillon

http://topaz.nersc.no





# The Mohn-Sverdrup Center for global ocean studies and operational oceanography

- Henrik Mohn (pronounce as in "moon")
  - Founder of the Norwegian Met Institute in 1866
  - Postulated the transpolar current in 1884
- Harald Sverdrup
  - The Maud expedition with Amundsen
  - Director of Scripps, the war years...
- Funded by a private endowment (4 M\$ on 5 years) from Trond Mohn, Bergen.
- Will employ 20 people within the following years





### Workplan


- Indian Ocean: Duplicate the TOPAZ system
  - 2 PhD
  - Follow the work initiated by Vibeke Haugen Jensen
- High resolution system for the Nordic Seas
  - 1 Post-doc + 1 PhD
- Ecosystem modelling
  - Validation of HYCOM C:N-REcoM
  - 1 Post-doc + 1 PhD





### The ingredients in TOPAZ

- 3D numerical ocean model
  - HYCOM (U. Miami, USA)
  - Sea Ice model (Hunke 1999)
  - Biogeoch. model (AWI, D)
- Observations
  - Altimetry, SST (CLS, F)
  - Sea Ice (NSIDC, USA)
  - In-situ (CORIOLIS, F)
- Data assimilation
  - Ensemble Kalman Filter [Evensen 1994, 2003, 2004]








## The TOPAZ model system

- TOPAZ: Atlantic and Arctic
  - 18-35 km resolution
  - 22 z/isopycnal layers
  - EnKF assimilation
- Nested models
  - Arbitrary resolution
  - Arbitrary orientation
  - Specific assimilation







# What happened since the last meeting?


- HYCOM: Upgrading v1.3 to v2.1 (ongoing)
  - "Standard" HYCOM interface (forcing, relaxations ...)
  - Levitus Climatology -> GDEM 3
  - ETOPO5 -> GEBCO
  - Included Hudson Bay but not the Mediterranean
  - T-S relaxations at open boundary
  - Tried a 1Sv. "port" in Bering Strait, but ...






#### HYCOM v1.3

ETOPO5 bathymetry



#### HYCOM v2.1

**GEBCO** bathymetry





Global Ocean Studies - Operational Oceanography


#### Oct. 5 surface salinity snapshot

Old TOPAZ

New TOPAZ (free run)







### **Temporary Assessment**

- 2D Bottom pressures make better NAC inflow into the Nordic Seas
- Comparison with AVHRR SSTs is much better with v2.1, possibly thanks to 3m top layers instead of 10m





#### What is data assimilation?


Goal: make models respect observations

- Optimal control theory
  - Optimize control parameters (forcing, initial)
  - To fit measurements
- Spatial statistics theory
  - Estimation of state variables
  - Measurements have a domain of influence
  - Physical variables are linked in complex ways
- Complementary views on the problem.





# The Ensemble Kalman Filter (EnKF, Evensen 1994, 2003, 2004...)



### **EnKF latest development**

- EnKF Square root analysis schemes.
  - Reduce numerical noise
- Improved sampling for EnKF initialization.
  - Better results for similar CPU cost.
- G. Evensen 2004 Square root analysis schemes and improved sampling for the EnKF, Ocean Dynamics, in press (Dec. 2004?)





#### **Current activities**

- Assimilation: Choose a mean SSH
  - CLS (Rio)
  - Home made (HYCOM)

Rather similar, except in Nordic Seas (30cm diff.)

- Do something at Gibraltar Strait (relaxation)
- Gulf of Mexico forecast comparison
  - Still awaiting FBI authorization to nest into NRL HYCOM 1/12<sup>th</sup>
- Assisting the Nansen-Zhu centre (Beijing)






# High-resolution forecasting

1 Post-Doc1 PhD





# Gulf of Mexico nowcast Oct. 20










#### **Validation**

#### overlay with ocean color data from MODIS

(not assimilated)




From June to Sept. 2004: eddy shedding





# Surface currents and temperature during Ivan High-integrity wind fields from OWI







Hurricane "Ivan" at day Analysis + 6



### **Future perspectives**




Nordic Seas (1 Post-Doc + 1 PhD)



Illustrations by H. Sagen and N. Winther



#### And more ....



# **Ecosystem** forecasting

1 Post Doc

1 PhD student





# **Ecosystem modelling**

